

---

# **OpenStack-Ansible Documentation:**

## **os\_adjutant role**

*Release 0.1.0.dev62*

**OpenStack-Ansible Contributors**

**Jan 23, 2025**



CONTENTS

|          |                                   |          |
|----------|-----------------------------------|----------|
| <b>1</b> | <b>OpenStack-Ansible Adjutant</b> | <b>3</b> |
| 1.1      | Required Variables . . . . .      | 3        |
| 1.2      | Example Playbook . . . . .        | 3        |







## OPENSTACK-ANSIBLE ADJUTANT

**tags** openstack, adjutant, cloud, ansible

**category** \*nix

This Ansible role installs and configures OpenStack adjutant.

**This role will install the following Upstart services:**

- adjutant-api
- adjutant-processor

### 1.1 Required Variables

```
adjutant_service_password
adjutant_rabbitmq_password
adjutant_galera_password
adjutant_galera_address
```

### 1.2 Example Playbook

```
- name: Install adjutant server
  hosts: adjutant_all
  user: root
  roles:
    - { role: "os_adjutant", tags: [ "os-adjutant" ] }
  vars:
    external_lb_vip_address: 172.16.24.1
    internal_lb_vip_address: 192.168.0.1
    adjutant_galera_address: "{{ internal_lb_vip_address }}"
    adjutant_galera_password: "SuperSecretePassword1"
    adjutant_service_password: "SuperSecretePassword2"
    adjutant_rabbitmq_password: "SuperSecretePassword3"
```

### 1.2.1 Dependencies

This role needs pip  $\geq 7.1$  installed on the target host.