
python-barbicanclient Documentation

Release 7.1.1.dev2

OpenStack Foundation

Mar 21, 2025

CONTENTS

1	Installation	3
2	User Documentation	5
2.1	CLI Usage	5
2.2	Authentication	18
2.3	CLI Authentication	19
2.4	Client Usage	21
2.5	Key Manager service (barbican) command-line client	27
3	Contributor Documentation	43
3.1	Contributing	43
3.2	Writing and Running Barbican Client Tests	43
4	Reference	47
4.1	Client	47
4.2	Secrets	48
4.3	Orders	52
4.4	Containers	55
4.5	Certificate Authorities	59
4.6	ACLs	60
4.7	Exceptions	64
	Python Module Index	67
	Index	69

This is a client for OpenStack Key Management API (Barbican). Theres a Python API (the *barbicanclient* module), and a command-line interface (installed as *barbican*).

Contents:

**CHAPTER
ONE**

INSTALLATION

At the command line:

```
$ pip install python-barbicanclient
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv python-barbicanclient
$ pip install python-barbicanclient
```


USER DOCUMENTATION

2.1 CLI Usage

```
usage: barbican [--version] [-v] [--log-file LOG_FILE] [-q] [-h] [--debug]
                  [--no-auth] [--os-identity-api-version <identity-api-version>]
                  [--os-auth-url <auth-url>] [--os-username <auth-user-name>]
                  [--os-user-id <auth-user-id>] [--os-password <auth-password>]
                  [--os-user-domain-id <auth-user-domain-id>]
                  [--os-user-domain-name <auth-user-domain-name>]
                  [--os-tenant-name <auth-tenant-name>]
                  [--os-tenant-id <tenant-id>]
                  [--os-project-id <auth-project-id>]
                  [--os-project-name <auth-project-name>]
                  [--os-project-domain-id <auth-project-domain-id>]
                  [--os-project-domain-name <auth-project-domain-name>]
                  [--os-auth-token <auth-token>]
                  [--endpoint <barbican-url>] [--insecure]
                  [--os-cacert <ca-certificate>] [--os-cert <certificate>]
                  [--os-key <key>] [--timeout <seconds>]
```

The examples below assume that credentials have been saved to your environment. If you dont have variables saved to your environment or you wish to use different credentials than those defined, any of the optional arguments listed above may be passed to Barbican.

Barbican takes a positional argument <entity>, which specifies whether you wish to operate on a secret or an order.

2.1.1 Secrets

```
$ barbican secret <action>
```

A subcommand describing the action to be performed should follow. The subcommands are mostly the same for secrets and orders, although some optional arguments only apply to one or the other.

Subcommand actions that a user can take for secrets are:

```
secret consumer Allow operations with secret consumers.
secret delete Delete a secret by providing its URI.
secret get Retrieve a secret by providing its URI.
secret list List secrets.
secret store Store a secret in Barbican.
```

Each subcommand takes in a different set of arguments, and the help message varies from one to another. The help message for `get` can be seen below.

```
$ barbican help secret get
usage: barbican secret get [-h] [-f {json,shell,table,value,yaml}] [-c COLUMN]
                           [--max-width <integer>] [--fit-width]
                           [--print-empty] [--noindent] [--prefix PREFIX]
                           [--decrypt | --payload | --file <filename>]
                           [--payload_content_type PAYLOAD_CONTENT_TYPE]
                           URI

Retrieve a secret by providing its URI.

positional arguments:
  URI                   The URI reference for the secret.

optional arguments:
  -h, --help            show this help message and exit
  --decrypt, -d         if specified, retrieve the unencrypted secret data.
  --payload, -p          if specified, retrieve the unencrypted secret data.
  --file <filename>, -F <filename>
                        if specified, save the payload to a new file with the
                        given filename.
  --payload_content_type PAYLOAD_CONTENT_TYPE, -t PAYLOAD_CONTENT_TYPE
                        the content type of the decrypted secret (default:
                        text/plain).

output formatters:
  output formatter options

  -f {shell,table,value}, --format {shell,table,value}
                            the output format, defaults to table
  -c COLUMN, --column COLUMN
                            specify the column(s) to include, can be repeated

table formatter:
  --max-width <integer>
                            Maximum display width, 0 to disable

shell formatter:
  a format a UNIX shell can parse (variable="value")

  --prefix PREFIX        add a prefix to all variable names
```

Secret Create

```
$ barbican secret store -n mysecretname -p 'my secret value'
```

```
+-----+-----+
|-----+-----+
```

(continues on next page)

(continued from previous page)

Field	Value
Secret href	http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-b111-8893d3b92a3e
Name	mysecretname
Created	None
Status	None
Content types	None
Algorithm	aes
Bit length	256
Mode	cbc
Expiration	None

Instead of using the `-p` or `--payload` option with the value of the secret in the command line, the value of the secret may be stored in a file. For this method the `-F <filename>` or `--file <filename>` option can be used.

Secret Get

```
$ barbican secret get http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-b111-8893d3b92a3e

+-----+
| Field      | Value
+-----+
| Secret href | http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-b111-8893d3b92a3e
| Name        | mysecretname
| Created     | 2015-04-16 20:36:40.334696+00:00
| Status      | ACTIVE
| Content types | {'default': 'application/octet-stream'}
```

(continues on next page)

(continued from previous page)

Algorithm	aes
Bit length	256
Mode	cbc
Expiration	None

To retrieve only the raw value of the payload we have introduced the `-p` or `--payload` option paired with the `-f` value cliff formatting option. (The `--decrypt` option will perform the same action; however, it will be deprecated)

```
$ barbican secret get http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-  
↪b111-8893d3b92a3e --payload -f value  
my secret value
```

Instead of using the `-p` or `--payload` option with the value of the secret returned to stdout, the value of the secret may be written to a file. For this method the `-F <filename>` or `--file <filename>` option can be used.

Secret Delete

If a secret to be deleted has at least one consumer, the secret can only be deleted after removing all consumers, or by using the `force` parameter

```
$ barbican secret delete http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-  
↪b111-8893d3b92a3e
```

```
$ barbican secret delete http://localhost:9311/v1/secrets/0207414d-c23b-47f6-  
↪9cef-f44e907ac7a8  
Secret has consumers! Remove them first or use the force parameter to delete  
↪it.
```

```
$ barbican secret delete --force http://localhost:9311/v1/secrets/0207414d-  
↪c23b-47f6-9cef-f44e907ac7a8
```

Secret Update

```
$ barbican secret update http://localhost:9311/v1/secrets/a70a45d8-4076-42a2-  
↪b111-8893d3b92a3e ``my_payload``
```

In order for a secret to be updated it must have been created without a payload. `my_payload` will be added as the secrets payload.

Secret List

```
$ barbican secret list

+-----+-----+-----+-----+
| Secret href | Name | Created | Status | Content types |
|             |      |          | Algorithm | Bit length | Mode | Expiration |
+-----+-----+-----+-----+
| http://localhost:9311/v1/secrets/bb3d8c20-8ea5-4bfc-9645-c8da79c8b371 | None | 2015-04-15 20:37:37.501475+00:00 | ACTIVE | {'default': 'application/octet-stream'} | aes | 256 | cbc | None |
+-----+-----+-----+-----+
```

2.1.2 Secret Consumers

```
$ barbican secret consumer <action>
```

A subcommand describing the action to be performed should follow. The subcommands are mostly the same as for container consumers, although some optional arguments might not apply.

For all subcommands, the secret URI must be specified. Subcommand actions that a user can take for secret consumers are:

```
secret consumer create Create a secret consumer.
secret consumer delete Delete a secret consumer
secret consumer list List consumers of a secret.
```

The help message for **list** can be seen below.

```
$ barbican help secret consumer list
usage: barbican secret consumer list [-h] [-f {csv,json,table,value,yaml}] [-c COLUMN]
                                         [--quote {all,minimal,none,nonnumeric}] [-r]
                                         [--noindent]
                                         [--max-width <integer>] [--fit-width]
                                         [--print-empty]
                                         [--sort-column SORT_COLUMN]
                                         [--sort-ascending | --sort-descending] [-l]
                                         [--limit LIMIT]
                                         [--offset OFFSET]
                                         URI

List consumers of a secret.
```

(continues on next page)

(continued from previous page)

```
positional arguments:
URI           The URI reference for the secret

optional arguments:
-h, --help      show this help message and exit
--limit LIMIT, -l LIMIT
                  specify the limit to the number of items to list per page
                  (default: 10; maximum: 100)
--offset OFFSET, -o OFFSET
                  specify the page offset (default: 0)

output formatters:
output formatter options

-f {csv,json,table,value,yaml}, --format {csv,json,table,value,yaml}
                  the output format, defaults to table
-c COLUMN, --column COLUMN
                  specify the column(s) to include, can be repeated to show
                  multiple columns
--sort-column SORT_COLUMN
                  specify the column(s) to sort the data (columns specified
                  first have a
                  priority, non-existing columns are ignored), can be
                  repeated
--sort-ascending    sort the column(s) in ascending order
--sort-descending   sort the column(s) in descending order

CSV Formatter:
--quote {all,minimal,none,nonnumeric}
                  when to include quotes, defaults to nonnumeric

json formatter:
--noindent        whether to disable indenting the JSON

table formatter:
--max-width <integer>
                  Maximum display width, <1 to disable. You can also use
                  the CLIFF_MAX_TERM_WIDTH
                  environment variable, but the parameter takes precedence.
--fit-width        Fit the table to the display width. Implied if --max-
                  width greater than 0.
                  Set the environment variable CLIFF_FIT_WIDTH=1 to always
                  enable
--print-empty      Print empty table if there is no data to show.
```

2.1.3 Secret Consumer Create

```
$ barbican secret consumer create --service-type-name image \
--resource-type image \
--resource-id 123e4567-e89b-12d3-a456-
→426614174002 \
0207414d-c23b-47f6-9cef-f44e907ac7a8
```

Consumers are uniquely defined by the three attributes (service, resource_type, resource_id). It is not possible to add a second consumer with exactly the same attributes. The CLI will not throw any error message If the creation of a new consumer with all the three same attributes of an existent consumer is attempted. However, the new consumer will not be actually created.

2.1.4 Secret Consumer List

```
$ barbican secret consumer list 0207414d-c23b-47f6-9cef-f44e907ac7a8
+-----+-----+-----+
| Service | Resource type | Resource id |
+-----+-----+-----+
| image   | image       | 123e4567-e89b-12d3-a456-426614174002 | 2023-
| 01-30T15:54:10 |
+-----+-----+-----+
```

2.1.5 Secret Consumer Delete

```
$ barbican secret consumer delete --service-type-name image \
--resource-type image \
--resource-id 123e4567-e89b-12d3-a456-
→426614174002 \
0207414d-c23b-47f6-9cef-f44e907ac7a8
```

To delete a secret consumer, all three attributes must be provided. Attempting to delete a non-existing consumer will cause the CLI to throw the following error message: Not Found: Consumer not found.

2.1.6 ACLS

```
$ barbican acl <action>
```

A subcommand describing the action to be performed should follow. The subcommands are mostly the same for secret and container ACLs.

Subcommand actions that a user can take for ACLs are:

acl delete	Delete ACLs for a secret or container as identified by its href .
acl get	Retrieve ACLs for a secret or container by providing its href .

(continues on next page)

(continued from previous page)

```
→href.  
acl submit      Submit ACL on a secret or container as identified by its →  
→href.  
acl user add    Add ACL users to a secret or container as identified by →  
→its href.  
acl user remove Remove ACL users from a secret or container as identified →  
→by its href.
```

ACL **get** or **delete** subcommand, only takes secret or container href. All other ACL commands take additional arguments to specify ACL settings data. Please see help message for both cases of argument. Either secret ref or container ref is required for all of acl actions.

```
$ barbican help acl get  
usage: barbican acl get [-h] [-f {csv,table,value}] [-c COLUMN]  
                         [--max-width <integer>]  
                         [--quote {all,minimal,none,nonnumeric}]  
                         URI  
  
Retrieve ACLs for a secret or container by providing its href.  
  
positional arguments:  
  URI           The URI reference for the secret or container.  
  
optional arguments:  
  -h, --help     show this help message and exit  
  
output formatters:  
  output formatter options  
  
  -f {csv,table,value}, --format {csv,table,value}  
                            the output format, defaults to table  
  -c COLUMN, --column COLUMN  
                            specify the column(s) to include, can be repeated  
  
table formatter:  
  --max-width <integer>  
                            Maximum display width, 0 to disable  
  
CSV Formatter:  
  --quote {all,minimal,none,nonnumeric}  
                            when to include quotes, defaults to nonnumeric
```

Following is snippet of related command line options for an ACL modify action e.g. submit, add or remove.

```
$ barbican help acl submit/user add/user remove  
usage: barbican acl submit [-h] [-f {csv,table,value}] [-c COLUMN]  
                           [--max-width <integer>]  
                           [--quote {all,minimal,none,nonnumeric}]  
                           [--user [USER]]
```

(continues on next page)

(continued from previous page)

```

[--project-access | --no-project-access]
[--operation-type {read}]
URI

.....
.....
positional arguments:
  URI           The URI reference for the secret or container.

optional arguments:
  -h, --help      show this help message and exit
  --user [USER], -u [USER]
                  Keystone userid(s) for ACL.
  --project-access    Flag to enable project access behavior.
  --no-project-access  Flag to disable project access behavior.
  --operation-type {read}, -o {read}
                  Type of Barbican operation ACL is set for
.....
.....

```

Note

Default for **operation-type** argument is **read** as that's the only operation currently supported by Barbican ACL API. So this argument can be skipped in CLI call.

ACLs Get

To get complete ACL setting for a secret or container, use this ACL action.

```
$ barbican acl get http://localhost:9311/v1/secrets/7776adb8-e865-413c-8ccc-
˓→4f09c3fe0213

+-----+-----+
˓→+-----+-----+
˓→+-----+
˓→+-----+
| Operation Type | Project Access | Users
˓→|                   | Created
˓→|                   | Secret ACL Ref
˓→|                   |
+-----+-----+
˓→+-----+-----+
˓→+-----+
˓→+-----+
| read          | False        | ['721e27b8505b499e8ab3b38154705b9e',
˓→'2d0ee7c681cc4549b6d76769c320d91f'] | 2015-07-21 17:52:01.729370+00:00 |
˓→2015-07-28 02:08:02.455276+00:00 | http://localhost:9311/v1/secrets/
˓→7776adb8-e865-413c-8ccc-4f09c3fe0213/acl |
```

(continues on next page)

(continued from previous page)

```
+-----+-----+
+-----+-----+
+-----+-----+
+-----+-----+
$ barbican acl get http://localhost:9311/v1/containers/83c302c7-86fe-4f07-
+-----+-----+
+-----+-----+
+-----+-----+
+-----+-----+
| Operation Type | Project Access | Users |
+-----+-----+-----+
| Created | Updated |
+-----+-----+
| Container ACL Ref |
+-----+-----+
+-----+-----+
+-----+-----+
+-----+-----+
| read | False | ['2d0ee7c681cc4549b6d76769c320d91f'] |
+-----+-----+
| 2015-07-28 01:36:55.791381+00:00 | 2015-07-28 02:05:41.175386+00:00 | http://
+-----+-----+
+-----+-----+
+-----+-----+
+-----+-----+
```

Secret or container ref is required. If missing, it will result in error.

```
$ barbican acl get

usage: barbican acl get [-h] [-f {csv,table,value}] [-c COLUMN]
                         [--max-width <integer>]
                         [--quote {all,minimal,none,nonnumeric}]
                         URI
barbican acl get: error: too few arguments
```

ACLs Submit

To submit complete ACL setting for a secret or container, use this ACL action.

```
$ barbican acl submit --user 2d0ee7c681cc4549b6d76769c320d91f --user
+-----+-----+
+-----+-----+
+-----+-----+
+-----+-----+
| Operation Type | Project Access | Users |
+-----+-----+-----+
| Created | Updated |
+-----+-----+
| Secret ACL Ref |
+-----+-----+
```

(continues on next page)

(continued from previous page)

If `user` argument is missing or has no value, then empty list is passed for users and this approach can be used to remove existing ACL users. If `project access` argument is not provided, then by default project access is enabled. To disable project access behavior, just pass `no-project-access` argument without any value.

(continued from previous page)

	read		False		['2d0ee7c681cc4549b6d76769c320d91f']		↳
↳	2015-07-29	22:01:00.878270+00:00		2015-08-19 05:56:09.930302+00:00		http://localhost:9311/v1/containers/83c302c7-86fe-4f07-a277-c4962f121f19/acl	
↳							
↳							

Following error is returned when both mutually exclusive flags are passed.

```
$ barbican acl submit --project-access --no-project-access http://
↳localhost:9311/v1/secrets/7776adb8-e865-413c-8ccc-4f09c3fe0213
usage: barbican acl submit [-h] [-f {csv,table,value}] [-c COLUMN]
                           [--max-width <integer>]
                           [--quote {all,minimal,none,nonnumeric}]
                           [--user [USER]]
                           [--project-access | --no-project-access]
                           [--operation-type {read}]
                           URI
barbican acl submit: error: argument --no-project-access: not allowed with
↳argument --project-access
```

ACL Add User(s)

To add ACL users for a secret or container, use this ACL action.

If user argument is missing or has no value, then no change is made in ACL users. If project access argument is not provided, then no change is made in existing project access behavior flag.

```
$ barbican acl user add --user c1d20e4b7e7d4917aee6f0832152269b http://
↳localhost:9311/v1/containers/83c302c7-86fe-4f07-a277-c4962f121f19

+-----+
| Operation Type | Project Access | Users
|                | Created          | Updated
|                | Container ACL Ref |
+-----+
| read           | False            | ['2d0ee7c681cc4549b6d76769c320d91f',
| 'c1d20e4b7e7d4917aee6f0832152269b'] | 2015-07-29 22:01:00.878270+00:00 |
| 2015-08-12 10:08:19.129370+00:00 | http://localhost:9311/v1/containers/
| 83c302c7-86fe-4f07-a277-c4962f121f19/acl |
```

(continues on next page)

(continued from previous page)

ACL Remove User(s)

To remove ACL users for a secret or container, use this ACL action.

If user argument is missing or has no value, then no change is made in ACL users. If project access argument is not provided, then no change is made in existing project access behavior flag.

If provided userid(s) does not exist in ACL, it is simply ignored and only existing userid(s) are removed from ACL.

```
$ barbican acl user remove --user 2d0ee7c681cc4549b6d76769c320d91f --user_id invalid_user_id http://localhost:9311/v1/secrets/084c2098-66db-4401-8348-d969be0eddaa
```

Operation	Type	Project Access	Users
Created			Updated
Secret ACL Ref			

(continues on next page)

(continued from previous page)

read	Type	False	['721e27b8505b499e8ab3b38154705b9e']	True	2015-08-12 10:09:27.564371+00:00	2015-08-12 10:12:21.842888+00:00	http://localhost:9311/v1/secrets/084c2098-66db-4401-8348-d969be0eddaa/acl

ACLs Delete

To delete existing ACL setting for a secret or container, use this ACL action.

```
$ barbican acl delete http://localhost:9311/v1/secrets/084c2098-66db-4401-8348-d969be0eddaa

$ barbican acl get http://localhost:9311/v1/secrets/084c2098-66db-4401-8348-d969be0eddaa

+-----+-----+-----+-----+-----+
| Operation Type | Project Access | Users | Created | Updated | Secret ACL
+-----+-----+-----+-----+-----+
| Ref          | read      | True   | []     | None    | http://
+-----+-----+-----+-----+-----+
| read      | True   | []     | None    | None    | http://
+-----+-----+-----+-----+-----+
| read      | True   | []     | None    | None    | http://
+-----+-----+-----+-----+-----+
```

2.2 Authentication

2.2.1 Keystone Authentication

The client defers authentication to [Keystone Sessions](#), which provide several authentication plugins in the `keystoneauth1.identity` namespace. Below we give examples of the most commonly used auth plugins.

Keystone API Version 3 Authentication

Authentication using Keystone API Version 3 can be achieved using the `keystoneauth1.identity.V3Password` auth plugin.

Example:

```
from barbicanclient import client
from keystoneauth1 import identity
from keystoneauth1 import session

auth = identity.V3Password(auth_url='http://localhost:5000/v3',
```

(continues on next page)

(continued from previous page)

```

        username='admin_user',
        user_domain_name='Default',
        password='password',
        project_name='demo',
        project_domain_name='Default')
sess = session.Session(auth=auth)
barbican = client.Client(session=sess)

```

Keystone API Version 2 Authentication

Authentication using Keystone API Version 2 can be achieved using the `keystoneauth1.identity.V2Password` auth plugin.

Example:

```

from barbicanclient import client
from keystoneauth1 import identity
from keystoneauth1 import session

auth = identity.V2Password(auth_url='http://localhost:5000/v2.0',
                           username='admin_user',
                           password='password',
                           tenant_name='demo')
sess = session.Session(auth=auth)
barbican = client.Client(session=sess)

```

2.2.2 Unauthenticated Context

Sometimes it may be useful to work with the client in an unauthenticated context, for example when using a development instance of Barbican that is not yet configured to use Keystone for authentication. In this case, the Barbican Service endpoint must be provided, in addition to the Project ID that will be used for context (i.e. the project that owns the secrets you'll be working with).

Example:

```

from barbicanclient import client

barbican = client.Client(endpoint='http://localhost:9311',
                         project_id='123456')

```

2.3 CLI Authentication

2.3.1 Keystone V3 Authentication

Barbican can be configured to use Keystone for authentication. The user's credentials can be passed to Barbican via arguments.

```
$ barbican --os-auth-url <keystone-v3-url> --os-project-domain-id \
<domain id> --os-user-domain-id <user domain id> --os-username <username> \
--os-password <password> --os-project-name <project-name> secret list
```

This can become annoying and tedious, so authentication via Keystone can also be configured by setting environment variables. Barbican uses the same env variables as python-keystoneclient so if you already have keystone client configured you can skip this section.

An example clientrc file is provided in the main python-barbicanclient directory.

```
export OS_PROJECT_NAME=<YourProjectName>

# Either Project Domain ID or Project Domain Name is required
export OS_PROJECT_DOMAIN_ID=<YourProjectDomainID>
export OS_PROJECT_DOMAIN_NAME=<YourProjectDomainName>

# Either User Domain ID or User Domain Name is required
export OS_USER_DOMAIN_ID=<YourUserDomainID>
export OS_USER_DOMAIN_NAME=<YourUserDomainName>

# Either User ID or Username can be used
export OS_USER_ID=<YourUserID>
export OS_USERNAME=<YourUserName>

export OS_PASSWORD=<YourPassword>

# OS_AUTH_URL should be your location of Keystone
# Barbican Client defaults to Keystone V3
export OS_AUTH_URL=<YourAuthURL>:5000/v3/
export BARBICAN_ENDPOINT=<YourBarbicanEndpoint>:9311"
```

Make any appropriate changes to this file.

You will need to source it into your environment on each load:

```
source ~/clientrc
```

If you would like, you can configure your bash to load the variables on each login:

```
echo "source ~/clientrc" >> ~/.bashrc
```

2.3.2 Keystone Token Authentication

Barbican can be configured to use Keystone tokens for authentication. The users credentials can be passed to Barbican via arguments.

```
$ barbican --os-auth-url <auth_endpoint> --os-auth-token <auth_token> \
--os-project-id <project_id> secret list
```

Much like normal password authentication you can specify these values via environmental variables. Refer to [Keystone V3 authentication](#) for more information.

2.3.3 No Auth Mode

When working with a Barbican instance that does not use Keystone authentication (e.g. during development) you can use the `--no-auth` option. If you do this, youll have to specify the Barbican endpoint and project ID `--os-project-id`. This is because Barbican normally gets the endpoint and tenant ID from Keystone.

2.4 Client Usage

To use barbicanclient, you must first create an instance of the `barbicanclient.client.Client` class.

The client uses Keystone Sessions for both authentication and for handling HTTP requests. You can provide authentication credentials to the client by creating a Keystone Session with the appropriate auth plugin and then passing that session to the new Client.

See [Authentication](#) for more details.

Example:

```
from barbicanclient import client

barbican = client.Client(...)
```

The client object has different attributes that can be used to interact with the Barbican service. Each attribute represents an entity in the Barbican service: Secrets, Orders and Containers.

2.4.1 Secrets

Secrets represent keys, credentials, and other sensitive data that is stored by the Barbican service. To store or retrieve a secret in the Barbican service you should use the different methods of the `barbicanclient.secrets.SecretManager` class that is exposed as the `secrets` attribute of the Client.

Example:

```
# Store a random text password in Barbican

from barbicanclient import client
import random
import string

def random_password(length):
    sys_random = random.SystemRandom()
    return ''.join(
        sys_random.choice(string.ascii_letters + string.digits) for _ in range(length)
    )

barbican = client.Client(...)

my_secret = barbican.secrets.create()
my_secret.name = 'Random plain text password'
my_secret.payload = random_password(24)

my_secret_ref = my_secret.store()
```

The secret reference returned by `barbicanclient.secrets.SecretManager.store()` can later be used to retrieve the secret data from barbican.

Example:

```
# Retrieve Secret from secret reference

retrieved_secret = barbican.secrets.get(my_secret_ref)
my_password = retrieved_secret.payload
```

Secret Content Types

The Barbican service defines a Secret Content Type. The client will choose the correct Content Type based on the type of the data that is set on the *Secret.payload* property. The following table summarizes the mapping of Python types to Barbican Secret Content Types:

Python 3 Type	Barbican Content Type
bytes	application/octet-stream
str	text/plain

Warning

Previous versions of python-barbicanclient allowed the user to set the *payload_content_type* and *payload_content_encoding* properties for any secret. This can lead to unexpected behavior such as changing a unicode string back to a byte string in Python 2, and dropping the base64 encoding of a binary secret as in Launchpad Bug #1419166. Because of this, manually setting the *payload_content_type* and the *payload_content_encoding* has been deprecated.

2.4.2 Orders

Orders are used to request secret material to be created by the Barbican service. Submitting an order will result in a Secret being created on your behalf. The Secret can then be used like any Secret you may have uploaded yourself. Orders should be created using the factory methods in the `barbicanclient.orders.OrderManager` instance in the `orders` attribute of the *Client*.

Example:

```
# Submit an order to generate a random encryption key

from barbicanclient import client

barbican = client.Client(...)

my_order = barbican.orders.create_key()
my_order.algorithm = 'AES'
my_order.mode = 'CBC'
my_order.bit_length = 256

my_order_ref = my_order.submit()
```

The order reference returned by `barbicanclient.orders.Order.submit()` can later be used to retrieve the order from Barbican.

Example:

```
# Retrieve Order from order reference

retrieved_order = barbican.orders.get(my_order_ref)
```

Once your order has been processed by Barbican, the order status will be set to *ACTIVE*. An active order will contain the reference to the requested secret (or container).

Example:

```
# Retrieve Encryption Key generated by the above KeyOrder

generated_secret = barbican.secrets.get(retrieved_order.secret_ref)
key = generated_secret.payload
```

Currently the client can submit `barbicanclient.orders.KeyOrder` orders for Keys suitable for symmetric encryption, and `barbicanclient.orders.AsymmetricOrder` for Asymmetric keys such as RSA keys.

2.4.3 Containers

Containers can be either arbitrary groupings of *Secrets* or a strict grouping of Secrets, such as the Public and Private keys of an RSA keypair.

Containers should be managed using the `barbicanclient.containers.ContainerManager` instance in the `containers` attribute of the *Client*

Example:

```
# Add the Secrets created above to a container

my_container = barbican.containers.create()

my_container.add('Retrieved Secret', retrieved_secret)
my_container.add('Generated Secret', generated_secret)

my_container_ref = my_container.store()
```

The container reference returned by `barbicanclient.containers.Container.store()` can later be used to retrieve the container from Barbican.

Example:

```
# Retrieve container from Barbican

retrieved_container = barbican.containers.get(my_container_ref)
```

2.4.4 Secret Consumers

Secret consumers are represented by three attributes: service, resource type and resource id. Callers can register secret consumers to indicate that they are using a secret. For instance, in the example below, the caller creates a secret consumer to indicate that the created secret is being used to encrypt a specific Glance image.

Secret consumers should be managed using the `barbicanclient.secrets.SecretManager` instance in the `secrets` attribute of the `Client` and by the corresponding `register_consumer`, `remove_consumer` and `list_consumers` methods.

Example:

```
# Creating a secret and adding a consumer to it

secret = barbican.secrets.create(name='image encryption key',
                                  payload='encryption_key')
secret.store()

barbican.secrets.register_consumer(
    secret.secret_ref,
    service="image",
    resource_type="image",
    resource_id="123e4567-e89b-12d3-a456-426614174002"
)

# Listing all the secret's consumers

consumers = barbican.secrets.list_consumers(secret.secret_ref)
for consumer in consumers:
    print(f"Service: {consumer['service']}\t"
          f"Resource Type: {consumer['resource_type']}\t"
          f"Resource id: {consumer['resource_id']}")

# Removing the previously created consumer

barbican.secrets.remove_consumer(
    secret.secret_ref,
    service="image",
    resource_type="image",
    resource_id="123e4567-e89b-12d3-a456-426614174002"
)
```

2.4.5 ACLs

Access Control List (ACL) feature in Barbican provides user level access control for secrets and containers. By default Barbican manages access to its resources (secrets, containers) on a per project level and authorization is granted based on the roles a user has in that project.

ACLs should be managed using the `barbicanclient.acls.ACManager` instance in the `acls` attribute of the `Client`.

Example:

```
# Submits ACLs on an existing Secret with URI as 'secret_ref'

# create ACL entity object with needed settings
acl_entity = barbican.acls.create(entity_ref=secret_ref, users=[u1, u2],
```

(continues on next page)

(continued from previous page)

```
project_access=False)

acl_ref = acl_entity.submit() # submits ACL setting to server at
→this point.
```

The secret or container URI can be used to read all of its ACL setting. Returned value is instance of either `barbicanclient.acls.SecretACL` or `barbicanclient.acls.ContainerACL`. Refer to respective class for its available APIs.

Example:

```
# Get ACL entity for a Secret
# Returned entity will be either SecretACL or ContainerACL.
# This entity has ACL settings per operation type (e.g. 'read')

secret_acl = barbican.acls.get(secret_ref)

# To retrieve (load) ACL using existing ACL entity e.g. container_acl
container_acl.load_acls_data()
```

ACLs setting can also be retrieved directly from secret or container entity. Its data is lazy loaded i.e. related ACL settings are not read till `acls` attribute is accessed on secret or container entity.

Example:

```
# Get secret entity for a given ref
secret = barbican.secrets.get(secret_ref)

# To get project access flag or users for 'read' operation
project_access_flag = secret.acls.read.project_access
read_acl_users = secret.acls.read.users

# Get container entity for a given ref
container = barbican.containers.get(container_ref)

# To get project access flag or users for 'read' operation
project_access_flag = container.acls.read.project_access
read_acl_users = container.acls.read.users
```

If need to add users to existing read ACL settings on a secret or container, above mentioned get and submit methods can be used.

Example:

```
# Every Barbican secret and container has default ACL setting which
# reflects default project access behavior.

# ACL settings is modified via submit operation on ACL entity.

# provide users to be added as list.
add_users = ['user1', 'user2', 'user3']
```

(continues on next page)

(continued from previous page)

```
# Case 1 - Add users to 'read' operation ACL setting
# -----
# Get ACL entity from server
acl_entity = barbican.acls.get(entity_ref=secret_ref)

# add new users to existing users for 'read' operation
acl_entity.read.users.extend(add_users)
# OR
# acl_entity.get('read').users.extend(add_users)

acl_ref = acl_entity.submit() # here submits ACL changes to server.

# Case 2 - Add same users to ACL settings for each operation type
# -----
# Get ACL entity from server
acl_entity = barbican.acls.get(entity_ref=secret_ref)

# Go through each operation ACL setting and add users to existing list
for op_acl in acl_entity.operation_acls
    op_acl.users.extend(add_users)

acl_ref = acl_entity.submit() # here submits ACL changes to server.
```

If need to remove some users from existing ACL settings on a secret or container, similar approach can be used as mentioned above for *add* example.

Example:

```
# provide users to be removed as list.
remove_users = ['user1', 'user2', 'user3']

# Case 1 - Remove users from 'read' operation ACL setting
# -----
# Get ACL entity from server
acl_entity = barbican.acls.get(entity_ref=container_ref)

existing_users = acl_entity.read.users
# OR
# existing_users = acl_entity.get('read').users

# remove matching users from existing users list
updated_users = set(existing_users).difference(remove_users)

# set back updated users to operation specific acl setting
acl_entity.read.users = updated_users
```

(continues on next page)

(continued from previous page)

```

# OR
# acl_entity.get('read').users = updated_users

acl_ref = acl_entity.submit() # here submits ACL changes to server.

# Case 2 - Remove same users from ACL settings for each operation
# type
# -----
# Get ACL from server
acl_entity = barbican.acls.get(secret_ref)

# Go through each operation ACL setting and remove users from
# existing list
for op_acl in acl_entity.operation_acls
    existing_users = op_acl.users

    # remove matching users from existing users list
    updated_users = set(existing_users).difference(remove_users)

    # set back updated users to operation specific acl setting
    op_acl.users = updated_users

acl_ref = acl_entity.submit() # here submits ACL changes to server.

```

If need to unset or delete ACL settings on a secret or container, `barbicanclient.acls.SecretACL.remove()` or `barbicanclient.acls.ContainerACL.remove()` can be used.

Example:

```

# create ACL entity object with secret or container ref
blank_acl_entity = barbican.acls.create(entity_ref=secret_ref)

# removes all ACL settings for the secret on server
blank_acl_entity.remove()

# To remove 'read' operation specific ACL setting
acl_entity = barbican.acls.get(entity_ref=secret_ref)
acl_entity.read.remove()
# OR
# acl_entity.get('read').remove()

```

2.5 Key Manager service (barbican) command-line client

The barbican client is the command-line interface (CLI) for the Key Manager service (barbican) API and its extensions.

This chapter documents **barbican** version 4.3.0.

For help on a specific **barbican** command, enter:

```
$ barbican help COMMAND
```

2.5.1 barbican usage

```
usage: barbican [--version] [-v | -q] [--log-file LOG_FILE] [-h] [--debug]
                  [--no-auth] [--os-identity-api-version <identity-api-version>]
                  [--os-auth-url <auth-url>] [--os-username <auth-user-name>]
                  [--os-user-id <auth-user-id>] [--os-password <auth-password>]
                  [--os-user-domain-id <auth-user-domain-id>]
                  [--os-user-domain-name <auth-user-domain-name>]
                  [--os-tenant-name <auth-tenant-name>]
                  [--os-tenant-id <tenant-id>]
                  [--os-project-id <auth-project-id>]
                  [--os-project-name <auth-project-name>]
                  [--os-project-domain-id <auth-project-domain-id>]
                  [--os-project-domain-name <auth-project-domain-name>]
                  [--os-auth-token <auth-token>] [--endpoint <barbican-url>]
                  [--interface <barbican-interface>]
                  [--service-type <barbican-service-type>]
                  [--service-name <barbican-service-name>]
                  [--region-name <barbican-region-name>]
                  [--barbican-api-version <barbican-api-version>] [--insecure]
                  [--os-cacert <ca-certificate>] [--os-cert <certificate>]
                  [--os-key <key>] [--timeout <seconds>] [--collect-timing]
```

2.5.2 barbican optional arguments

--version

show programs version number and exit

-v, --verbose

Increase verbosity of output. Can be repeated.

-q, --quiet

Suppress output except warnings and errors.

--log-file LOG_FILE

Specify a file to log output. Disabled by default.

-h, --help

Show help message and exit.

--debug

Show tracebacks on errors.

--no-auth, -N

Do not use authentication.

--os-identity-api-version <identity-api-version>

Specify Identity API version to use. Defaults to env[OS_IDENTITY_API_VERSION] or 3.

--os-auth-url <auth-url>, -A <auth-url>

Defaults to env[OS_AUTH_URL].

```
--os-username <auth-user-name>, -U <auth-user-name>
    Defaults to env[OS_USERNAME].  

--os-user-id <auth-user-id>
    Defaults to env[OS_USER_ID].  

--os-password <auth-password>, -P <auth-password>
    Defaults to env[OS_PASSWORD].  

--os-user-domain-id <auth-user-domain-id>
    Defaults to env[OS_USER_DOMAIN_ID].  

--os-user-domain-name <auth-user-domain-name>
    Defaults to env[OS_USER_DOMAIN_NAME].  

--os-tenant-name <auth-tenant-name>, -T <auth-tenant-name>
    Defaults to env[OS_TENANT_NAME].  

--os-tenant-id <tenant-id>, -I <tenant-id>
    Defaults to env[OS_TENANT_ID].  

--os-project-id <auth-project-id>
    Another way to specify tenant ID. This option is mutually exclusive with os-tenant-id. Defaults to env[OS_PROJECT_ID].  

--os-project-name <auth-project-name>
    Another way to specify tenant name. This option is mutually exclusive with os-tenant-name. Defaults to env[OS_PROJECT_NAME].  

--os-project-domain-id <auth-project-domain-id>
    Defaults to env[OS_PROJECT_DOMAIN_ID].  

--os-project-domain-name <auth-project-domain-name>
    Defaults to env[OS_PROJECT_DOMAIN_NAME].  

--os-auth-token <auth-token>
    Defaults to env[OS_AUTH_TOKEN].  

--endpoint <barbican-url>, -E <barbican-url>
    Defaults to env[BARBICAN_ENDPOINT].  

--interface <barbican-interface>
    Defaults to env[BARBICAN_INTERFACE].  

--service-type <barbican-service-type>
    Defaults to env[BARBICAN_SERVICE_TYPE].  

--service-name <barbican-service-name>
    Defaults to env[BARBICAN_SERVICE_NAME].  

--region-name <barbican-region-name>
    Defaults to env[BARBICAN_REGION_NAME].  

--barbican-api-version <barbican-api-version>
    Defaults to env[BARBICAN_API_VERSION].
```

barbican acl delete

```
usage: barbican acl delete [-h] URI
```

Delete ACLs for a secret or container as identified by its href.

Positional arguments:

URI

The URI reference for the secret or container.

Optional arguments:

-h, --help

show this help message and exit

barbican acl get

```
usage: barbican acl get [-h] [-f {csv,html,json,table,value,yaml}] [-c COLUMN]
                         [--max-width <integer>] [--print-empty] [--noindent]
                         [--quote {all,minimal,none,nonnumeric}]
                         URI
```

Retrieve ACLs for a secret or container by providing its href.

Positional arguments:

URI

The URI reference for the secret or container.

Optional arguments:

-h, --help

show this help message and exit

barbican acl submit

```
usage: barbican acl submit [-h] [-f {csv,html,json,table,value,yaml}]
                            [-c COLUMN] [--max-width <integer>] [--print-empty]
                            [--noindent]
                            [--quote {all,minimal,none,nonnumeric}]
                            [--user [USERS]]
                            [--project-access | --no-project-access]
                            [--operation-type {read}]
                            URI
```

Submit ACL on a secret or container as identified by its href.

Positional arguments:

URI

The URI reference for the secret or container.

Optional arguments:

-h, --help

show this help message and exit

--user [USERS], -u [USERS]
Keystone userid(s) for ACL.

--project-access
Flag to enable project access behavior.

--no-project-access
Flag to disable project access behavior.

--operation-type {read}, -o {read}
Type of Barbican operation ACL is set for

barbican acl user add

```
usage: barbican acl user add [-h] [-f {csv,html,json,table,value,yaml}]
                             [-c COLUMN] [--max-width <integer>]
                             [--print-empty] [--noindent]
                             [--quote {all,minimal,none,nonnumeric}]
                             [--user [USERS]]
                             [--project-access | --no-project-access]
                             [--operation-type {read}]

URI
```

Add ACL users to a secret or container as identified by its href.

Positional arguments:

URI

The URI reference for the secret or container.

Optional arguments:

-h, --help
show this help message and exit

--user [USERS], -u [USERS]
Keystone userid(s) for ACL.

--project-access
Flag to enable project access behavior.

--no-project-access
Flag to disable project access behavior.

--operation-type {read}, -o {read}
Type of Barbican operation ACL is set for

barbican acl user remove

```
usage: barbican acl user remove [-h] [-f {csv,html,json,table,value,yaml}]
                                 [-c COLUMN] [--max-width <integer>]
                                 [--print-empty] [--noindent]
                                 [--quote {all,minimal,none,nonnumeric}]
                                 [--user [USERS]]
                                 [--project-access | --no-project-access]
                                 [--operation-type {read}]

URI
```

Remove ACL users from a secret or container as identified by its href.

Positional arguments:

URI

The URI reference for the secret or container.

Optional arguments:

-h, --help

show this help message and exit

--user [USERS], -u [USERS]

Keystone userid(s) for ACL.

--project-access

Flag to enable project access behavior.

--no-project-access

Flag to disable project access behavior.

--operation-type {read}, -o {read}

Type of Barbican operation ACL is set for

barbican ca get

```
usage: barbican ca get [-h] [-f {html,json,shell,table,value,yaml}]  
                      [-c COLUMN] [--max-width <integer>] [--print-empty]  
                      [--noindent] [--prefix PREFIX]  
                      URI
```

Retrieve a CA by providing its URI.

Positional arguments:

URI

The URI reference for the CA.

Optional arguments:

-h, --help

show this help message and exit

barbican ca list

```
usage: barbican ca list [-h] [-f {csv,html,json,table,value,yaml}] [-c COLUMN]  
                        [--max-width <integer>] [--print-empty] [--noindent]  
                        [--quote {all,minimal,none,nonnumeric}]  
                        [--limit LIMIT] [--offset OFFSET] [--name NAME]
```

List CAs.

Optional arguments:

-h, --help

show this help message and exit

--limit LIMIT, -l LIMIT

specify the limit to the number of items to list per page (default: 10; maximum: 100)

--offset OFFSET, -o OFFSET
 specify the page offset (default: 0)

--name NAME, -n NAME
 specify the ca name (default: None)

barbican secret container create

```
usage: barbican secret container create [-h]
                                         [-f {html,json,shell,table,value,yaml}]
                                         ↵
                                         [-c COLUMN] [--max-width <integer>]
                                         [--print-empty] [--noindent]
                                         [--prefix PREFIX] [--name NAME]
                                         [--type TYPE] [--secret SECRET]
```

Store a container in Barbican.

Optional arguments:

-h, --help
 show this help message and exit

--name NAME, -n NAME
 a human-friendly name.

--type TYPE
 type of container to create (default: generic).

--secret SECRET, -s SECRET
 one secret to store in a container (can be set multiple times). Example: secret
 private_key=https://url.test/v1/secrets/1-2-3-4

barbican secret container delete

```
usage: barbican secret container delete [-h] URI
```

Delete a container by providing its href.

Positional arguments:

URI
 The URI reference for the container

Optional arguments:

-h, --help
 show this help message and exit

barbican secret container get

```
usage: barbican secret container get [-h]
                                         [-f {html,json,shell,table,value,yaml}]
                                         [-c COLUMN] [--max-width <integer>]
                                         [--print-empty] [--noindent]
```

(continues on next page)

(continued from previous page)

```
[--prefix PREFIX]  
URI
```

Retrieve a container by providing its URI.

Positional arguments:

URI

The URI reference for the container.

Optional arguments:

-h, --help

show this help message and exit

barbican secret container list

```
usage: barbican secret container list [-h]  
                                  [-f {csv,html,json,table,value,yaml}]  
                                  [-c COLUMN] [--max-width <integer>]  
                                  [--print-empty] [--noindent]  
                                  [--quote {all,minimal,none,nonnumeric}]  
                                  [--limit LIMIT] [--offset OFFSET]  
                                  [--name NAME] [--type TYPE]
```

List containers.

Optional arguments:

-h, --help

show this help message and exit

--limit LIMIT, -l LIMIT

specify the limit to the number of items to list per page (default: 10; maximum: 100)

--offset OFFSET, -o OFFSET

specify the page offset (default: 0)

--name NAME, -n NAME

specify the container name (default: None)

--type TYPE, -t TYPE

specify the type filter for the list (default: None).

barbican secret delete

```
usage: barbican secret delete [-h] [--force] URI
```

Delete a secret by providing its URI.

Positional arguments:

URI

The URI reference for the secret

Optional arguments:

-h, --help

show this help message and exit

--force, -f

if specified, forces the deletion of secrets that have consumers.

barbican secret get

```
usage: barbican secret get [-h] [-f {html,json,shell,table,value,yaml}]
                           [-c COLUMN] [--max-width <integer>] [--print-empty]
                           [--noindent] [--prefix PREFIX] [--decrypt]
                           [--payload]
                           [--payload_content_type PAYLOAD_CONTENT_TYPE]
                           URI
```

Retrieve a secret by providing its URI.

Positional arguments:**URI**

The URI reference for the secret.

Optional arguments:**-h, --help**

show this help message and exit

--decrypt, -d

if specified, retrieve the unencrypted secret data; the data type can be specified with payload_content_type.

--payload, -p

if specified, retrieve the unencrypted secret data; the data type can be specified with payload_content_type. If the user wishes to only retrieve the value of the payload they must add -f value to format returning only the value of the payload

--payload_content_type PAYLOAD_CONTENT_TYPE, -t PAYLOAD_CONTENT_TYPE

the content type of the decrypted secret (default: text/plain).

barbican secret list

```
usage: barbican secret list [-h] [-f {csv,html,json,table,value,yaml}]
                            [-c COLUMN] [--max-width <integer>]
                            [--print-empty] [--noindent]
                            [--quote {all,minimal,none,nonnumeric}]
                            [--limit LIMIT] [--offset OFFSET] [--name NAME]
                            [--algorithm ALGORITHM] [--bit-length BIT_LENGTH]
                            [--mode MODE]
```

List secrets.

Optional arguments:**-h, --help**

show this help message and exit

--limit LIMIT, -l LIMIT

specify the limit to the number of items to list per page (default: 10; maximum: 100)

--offset OFFSET, -o OFFSET

specify the page offset (default: 0)

--name NAME, -n NAME

specify the secret name (default: None)

--algorithm ALGORITHM, -a ALGORITHM

the algorithm filter for the list(default: None).

--bit-length BIT_LENGTH, -b BIT_LENGTH

the bit length filter for the list (default: 0).

--mode MODE, -m MODE

the algorithm mode filter for the list (default: None).

barbican secret order create

```
usage: barbican secret order create [-h]
                                    [-f {html,json,shell,table,value,yaml}]
                                    [-c COLUMN] [--max-width <integer>]
                                    [--print-empty] [--noindent]
                                    [--prefix PREFIX] [--name NAME]
                                    [--algorithm ALGORITHM]
                                    [--bit-length BIT_LENGTH] [--mode MODE]
                                    [--payload-content-type PAYLOAD_CONTENT_
                                     ↪TYPE]
                                    [--expiration EXPIRATION]
                                    [--request-type REQUEST_TYPE]
                                    [--subject-dn SUBJECT_DN]
                                    [--source-container-ref SOURCE_CONTAINER_
                                     ↪REF]
                                    [--ca-id CA_ID] [--profile PROFILE]
                                    [--request-file REQUEST_FILE]
                                    type
```

Create a new order.

Positional arguments:

type

the type of the order (key, asymmetric, certificate) to create.

Optional arguments:

-h, --help

show this help message and exit

--name NAME, -n NAME

a human-friendly name.

--algorithm ALGORITHM, -a ALGORITHM

the algorithm to be used with the requested key (default: aes).

```
--bit-length BIT_LENGTH, -b BIT_LENGTH
    the bit length of the requested secret key (default: 256).

--mode MODE, -m MODE
    the algorithm mode to be used with the requested key (default: cbc).

--payload-content-type PAYLOAD_CONTENT_TYPE, -t PAYLOAD_CONTENT_TYPE
    the type/format of the secret to be generated (default: application/octet-stream).

--expiration EXPIRATION, -x EXPIRATION
    the expiration time for the secret in ISO 8601 format.

--request-type REQUEST_TYPE
    the type of the certificate request.

--subject-dn SUBJECT_DN
    the subject of the certificate.

--source-container-ref SOURCE_CONTAINER_REF
    the source of the certificate when using stored-key requests.

--ca-id CA_ID
    the identifier of the CA to use for the certificate request.

--profile PROFILE
    the profile of certificate to use.

--request-file REQUEST_FILE
    the file containing the CSR.
```

barbican secret order delete

```
usage: barbican secret order delete [-h] URI
```

Delete an order by providing its href.

Positional arguments:

URI

The URI reference for the order

Optional arguments:

-h, --help

show this help message and exit

barbican secret order get

```
usage: barbican secret order get [-h] [-f {html,json,shell,table,value,yaml}]
                                  [-c COLUMN] [--max-width <integer>]
                                  [--print-empty] [--noindent]
                                  [--prefix PREFIX]
                                  URI
```

Retrieve an order by providing its URI.

Positional arguments:

URI

The URI reference order.

Optional arguments:

-h, --help

show this help message and exit

barbican secret order list

```
usage: barbican secret order list [-h] [-f {csv,html,json,table,value,yaml}]
                                  [-c COLUMN] [--max-width <integer>]
                                  [--print-empty] [--noindent]
                                  [--quote {all,minimal,none,nonnumeric}]
                                  [--limit LIMIT] [--offset OFFSET]
```

List orders.

Optional arguments:

-h, --help

show this help message and exit

--limit LIMIT, -l LIMIT

specify the limit to the number of items to list per page (default: 10; maximum: 100)

--offset OFFSET, -o OFFSET

specify the page offset (default: 0)

barbican secret store

```
usage: barbican secret store [-h] [-f {html,json,shell,table,value,yaml}]
                             [-c COLUMN] [--max-width <integer>]
                             [--print-empty] [--noindent] [--prefix PREFIX]
                             [--name NAME] [--payload PAYLOAD]
                             [--secret-type SECRET_TYPE]
                             [--payload-content-type PAYLOAD_CONTENT_TYPE]
                             [--payload-content-encoding PAYLOAD_CONTENT_
                             ↪ENCODING]
                             [--algorithm ALGORITHM] [--bit-length BIT_LENGTH]
                             [--mode MODE] [--expiration EXPIRATION]
```

Store a secret in Barbican.

Optional arguments:

-h, --help

show this help message and exit

--name NAME, -n NAME

a human-friendly name.

--payload PAYLOAD, -p PAYLOAD

the unencrypted secret; if provided, you must also provide a payload_content_type

--secret-type SECRET_TYPE, -s SECRET_TYPE

the secret type; must be one of symmetric, public, private, certificate, passphrase, opaque (default)

```
--payload-content-type PAYLOAD_CONTENT_TYPE, -t PAYLOAD_CONTENT_TYPE
    the type/format of the provided secret data; text/plain is assumed to be UTF-8; required when
    payload is supplied.

--payload-content-encoding PAYLOAD_CONTENT_ENCODING, -e
PAYLOAD_CONTENT_ENCODING
    required if payload-content-type is application /octet-stream.

--algorithm ALGORITHM, -a ALGORITHM
    the algorithm (default: aes).

--bit-length BIT_LENGTH, -b BIT_LENGTH
    the bit length (default: 256).

--mode MODE, -m MODE
    the algorithm mode; used only for reference (default: cbc)

--expiration EXPIRATION, -x EXPIRATION
    the expiration time for the secret in ISO 8601 format.
```

barbican secret update

```
usage: barbican secret update [-h] URI payload
```

Update a secret with no payload in Barbican.

Positional arguments:

URI

The URI reference for the secret.

payload

the unencrypted secret

Optional arguments:

-h, --help

show this help message and exit

barbican secret consumer create

```
usage: barbican secret consumer create [-h] --service-type-name SERVICE_TYPE_
                                         ↪NAME
                                         --resource-type RESOURCE_TYPE
                                         --resource-id RESOURCE_ID URI
```

Create a consumer for a secret.

Positional arguments:

URI

The URI reference for the secret.

Optional arguments:

-h, --help

show this help message and exit

--service-type-name SERVICE_TYPE_NAME, -s SERVICE_TYPE_NAME

the service that will consume the secret

--resource-type RESOURCE_TYPE, -t RESOURCE_TYPE

the type of resource that will consume the secret

--resource-id RESOURCE_ID, -i RESOURCE_ID

the id of the resource that will consume the secret

barbican secret consumer delete

```
usage: barbican secret consumer delete [-h] --service-type-name SERVICE_TYPE_
                                         ↪NAME
                                                 --resource-type RESOURCE_TYPE
                                                 --resource-id RESOURCE_ID URI
```

Delete a consumer from a secret.

Positional arguments:

URI

The URI reference for the secret.

Optional arguments:

-h, --help

show this help message and exit

--service-type-name SERVICE_TYPE_NAME, -s SERVICE_TYPE_NAME

the service that will consume the secret

--resource-type RESOURCE_TYPE, -t RESOURCE_TYPE

the type of resource that will consume the secret

--resource-id RESOURCE_ID, -i RESOURCE_ID

the id of the resource that will consume the secret

barbican secret consumer list

```
usage: barbican secret consumer list [-h] [-f {csv,json,table,value,yaml}]
                                         [-c COLUMN] [--quote {all,minimal,none,
                                         ↪nonnumeric}]
                                         [--noindent] [--max-width <integer>]
                                         [--fit-width] [--print-empty] [--sort-
                                         ↪column SORT_COLUMN]
                                         [--sort-ascending | --sort-descending] [-
                                         ↪-limit LIMIT]
                                         [--offset OFFSET]
                                         URI
```

List consumers of a secret.

Positional arguments:

URI

The URI reference for the secret

Optional arguments:

-h, --help

show this help message and exit

--limit LIMIT, -l LIMIT

specify the limit to the number of items to list per page (default: 10; maximum: 100)

--offset OFFSET, -o OFFSET

specify the page offset (default: 0)

Output formatters:

-f {csv,json,table,value,yaml}, --format {csv,json,table,value,yaml}

the output format, defaults to table

-c COLUMN, --column COLUMN

specify the column(s) to include, can be repeated to show multiple columns

--sort-column SORT_COLUMN

specify the column(s) to sort the data (columns specified first have a priority, non-existing columns are ignored), can be repeated

--sort-ascending

sort the column(s) in ascending order

--sort-descending

sort the column(s) in descending order

CSV Formatter:

--quote {all,minimal,none,nonnumeric}

when to include quotes, defaults to nonnumeric

json formatter:

--noindent

whether to disable indenting the JSON

table formatter:

--max-width <integer>

Maximum display width, <1 to disable. You can also use the CLIFF_MAX_TERM_WIDTH environment variable, but the parameter takes precedence.

--fit-width

Fit the table to the display width. Implied if max-width greater than 0. Set the environment variable CLIFF_FIT_WIDTH=1 to always enable

--print-empty

Print empty table if there is no data to show.

CONTRIBUTOR DOCUMENTATION

3.1 Contributing

If you would like to contribute to the development of OpenStack, you must follow the steps in this page:

<https://docs.openstack.org/infra/manual/developers.html>

Once those steps have been completed, changes to OpenStack should be submitted for review via the Gerrit tool, following the workflow documented at:

<https://docs.openstack.org/infra/manual/developers.html#development-workflow>

Pull requests submitted through GitHub will be ignored.

Bugs should be filed on Launchpad, not GitHub:

<https://bugs.launchpad.net/python-barbicanclient>

3.2 Writing and Running Barbican Client Tests

As a part of every code review that is submitted to the python-barbicanclient project there are a number of gating jobs which aid in the prevention of regression issues within python-barbicanclient. As a result, a python-barbicanclient developer should be familiar with running python-barbicanclient tests locally.

For your convenience we provide the ability to run all tests through the `tox` utility. If you are unfamiliar with tox please see refer to the [tox documentation](#) for assistance.

3.2.1 Unit Tests

We follow the *Tested Runtimes* <<https://governance.openstack.org/tc/reference/project-testing-interface.html#tested-runtimes>> as defined by the Technical Committee every cycle.

All available test environments within the tox configuration will execute when calling `tox`. If you want to run them independently, you can do so with the following command:

```
# Executes tests on Python 3.9
tox -e py39
```

Note

If you do not have the appropriate Python versions available, consider setting up PyEnv to install multiple versions of Python. See the documentation [setting up a Barbican development environment](#).

Note

Individual unit tests can also be run, using the following commands:

```
# runs a single test with the function named
# test_should_entity_str
tox -e py39 -- test_should_entity_str

# runs only tests in the WhenTestingSecrets class and
# the WhenTestingOrderManager class
tox -e p39 -- '(WhenTestingSecrets|WhenTestingOrderManager)'
```

The function name or class specified must be one located in the *barbicanclient/tests* directory.

Groups of tests can also be run with a regex match after the `--`. For more information on what can be done with `stestr`, please see: <https://stestr.readthedocs.io/en/latest/>

You can also setup breakpoints in the unit tests. This can be done by adding `import pdb; pdb.set_trace()` to the line of the unit test you want to examine, then running the following command:

```
tox -e debug
```

Note

For a list of `pdb` commands, please see: <https://docs.python.org/2/library/pdb.html>

3.2.2 Functional Tests

Unlike running unit tests, the functional tests require Barbican and Keystone services to be running in order to execute. For more information on [setting up a Barbican development environment](#) and using [Keystone with Barbican](#), see our accompanying project documentation.

A configuration file for functional tests must be edited before the tests can be run. In the top-level directory of the `python-barbicanclient`, edit `/etc/functional_tests.conf` to the values you setup in Keystone.

```
[DEFAULT]
# Leaving this as a placeholder

[keymanager]
# Replace values that represent barbican server and user information
url=http://localhost:9311
username=barbican
password=secretservice
project_name=service
project_id=service
#max_payload_size=10000
project_domain_name=Default

[identity]
# Replace these with values that represent your identity configuration
uri=http://localhost:5000/v2.0
```

(continues on next page)

(continued from previous page)

```

uri_v3=http://localhost:5000/v3
auth_version=v3

username=admin
tenant_name=admin
password=password
domain_name=Default

admin_username=admin
admin_tenant_name=admin
admin_password=password
admin_domain_name=Default

[identity-feature-enabled]
# Leaving this as a placeholder

```

Once you have the appropriate services running and configured you can execute the functional tests through tox.

```

# Execute Barbican Functional Tests
tox -e functional

```

Note

In order to run individual functional test functions, you must use the following commands:

```

# runs only tests in the test_secrets.py file
tox -e functional -- client/v1/functional/test_secrets.py

# runs only tests in the SecretsTestCase class
tox -e functional -- client/v1/functional/test_secrets.py:\nSecretsTestCase

# runs a single test with the function named
# test_secret_create_defaults_check_content_types
tox -e functional -- client/v1/functional/test_secrets.py:\nSecretsTestCase.test_secret_create_defaults_check_content_types

```

The path specified must be one located in the *functionaltests* directory.

3.2.3 Remote Debugging

In order to be able to hit break-points on API calls, you must use remote debugging. This can be done by adding `import rpdb; rpdb.set_trace()` to the line of the API call you wish to test. For example, adding the breakpoint in `def create` in `barbicanclient.secrets.py` will allow you to hit the breakpoint whenever the `create` function is called.

Note

After performing the POST the application will freeze. In order to use rpdb, you must open up another terminal and run the following:

```
# enter rpdb using telnet
telnet localhost 4444
```

Once in rpdb, you can use the same commands as pdb, as seen here: <https://docs.python.org/2/library/pdb.html>

CHAPTER
FOUR

REFERENCE

4.1 Client

`barbicanclient.client.Client(version=None, session=None, *args, **kwargs)`

Barbican client used to interact with barbican service.

Parameters

- **session** An instance of keystoneauth1.session.Session that can be either authenticated, or not authenticated. When using a non-authenticated Session, you must provide some additional parameters. When no session is provided it will default to a non-authenticated Session. (optional)
- **endpoint** Barbican endpoint url override. Required when a session is not given, or when using a non-authenticated session. When using an authenticated session, the client will attempt to get the endpoint from the Keystone service catalog. (optional)
- **project_id** The project ID used for context in Barbican. Required when a session is not given, or when using a non-authenticated session. When using an authenticated session, the project ID will be provided by the authentication mechanism and this parameter will be ignored. (optional)
- **verify** When a session is not given, the client will create a non-authenticated session. This parameter is passed to the session that is created. If set to False, it allows barbicanclient to perform insecure TLS (https) requests. The servers certificate will not be verified against any certificate authorities. (optional)
WARNING: This option should be used with caution.
- **version** Used as an endpoint filter when using an authenticated keystone session. When using a non-authenticated keystone session, this value is appended to the required endpoint url override. Defaults to v1.
- **service_type** Used as an endpoint filter when using an authenticated keystone session. Defaults to key-manager.
- **service_name** Used as an endpoint filter when using an authenticated keystone session.
- **interface** Used as an endpoint filter when using an authenticated keystone session. Defaults to public.
- **region_name** Used as an endpoint filter when using an authenticated keystone session.

- **microversion** Specify an API Microversion to be used. Defaults to 1.1.

4.2 Secrets

```
class barbicanclient.v1.secrets.SecretManager(api)
    Entity Manager for Secret entities

    create(name=None, payload=None, payload_content_type=None,
           payload_content_encoding=None, algorithm=None, bit_length=None,
           secret_type=None, mode=None, expiration=None)
        Factory method for creating new Secret objects

        Secrets returned by this method have not yet been stored in the Barbican service.

    Parameters
        • name A friendly name for the Secret
        • payload The unencrypted secret data
        • payload_content_type DEPRECATED: The format/type of the secret data. Setting this can lead to unexpected results. See Launchpad Bug #1419166.
        • payload_content_encoding DEPRECATED: The encoding of the secret data. Setting this can lead to unexpected results. See Launchpad Bug #1419166.
        • algorithm The algorithm associated with this secret key
        • bit_length The bit length of this secret key
        • mode The algorithm mode used with this secret key
        • secret_type The secret type for this secret key
        • expiration The expiration time of the secret in ISO 8601 format
```

Returns

A new Secret object

Return type

`barbicanclient.v1.secrets.Secret`

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

```
delete(secret_ref, force=False)
```

Delete a Secret from Barbican

Parameters

- **secret_ref** Full HATEOAS reference to a Secret, or a UUID
- **force** When true, forces the deletion of secrets with consumers

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

`get(secret_ref, payload_content_type=None)`

Retrieve an existing Secret from Barbican

Parameters

- **secret_ref** (`str`) Full HATEOAS reference to a Secret, or a UUID
- **payload_content_type** (`str`) DEPRECATED: Content type to use for payload decryption. Setting this can lead to unexpected results. See Launchpad Bug #1419166.

Returns

Secret object retrieved from Barbican

Return type

`barbicanclient.v1.secrets.Secret`

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

`list(limit=10, offset=0, name=None, algorithm=None, mode=None, bits=0, secret_type=None, created=None, updated=None, expiration=None, sort=None)`

List Secrets for the project

This method uses the limit and offset parameters for paging, and also supports filtering.

The time filters (created, updated, and expiration) are expected to be an ISO 8601 formatted string, which can be prefixed with comparison operators: gt: (greater-than), gte: (greater-than-or-equal), lt: (less-than), or lte: (less-than-or-equal).

Parameters

- **limit** Max number of secrets returned
- **offset** Offset secrets to begin list
- **name** Name filter for the list
- **algorithm** Algorithm filter for the list
- **mode** Mode filter for the list
- **bits** Bits filter for the list
- **secret_type** Secret type filter for the list
- **created** Created time filter for the list, an ISO 8601 format string, optionally prefixed with gt:, gte:, lt:, or lte:
- **updated** Updated time filter for the list, an ISO 8601 format string, optionally prefixed with gt:, gte:, lt:, or lte:

- **expiration** Expiration time filter for the list, an ISO 8601 format string, optionally prefixed with gt:, gte:, lt:, or lte:
- **sort** Determines the sorted order of the returned list, a string of comma-separated sort keys (created, expiration, mode, name, secret_type, status, or updated) with a direction appended (:asc or :desc) to each key

Returns

list of Secret objects that satisfy the provided filter criteria.

Return type

list

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

list_consumers(secret_ref, limit=10, offset=0)

List consumers of the secret

Parameters

- **secret_ref** Full HATEOAS reference to a secret, or a UUID
- **limit** Max number of consumers returned
- **offset** Offset secrets to begin list

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

register_consumer(secret_ref, service, resource_type, resource_id)

Add a consumer to the secret

Parameters

- **secret_ref** Full HATEOAS reference to a secret, or a UUID
- **service** Name of the consuming service
- **resource_type** Type of the consuming resource
- **resource_id** ID of the consuming resource

Returns

A secret object per the get() method

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses
- **NotImplementedError** When using microversion 1.0

remove_consumer(*secret_ref*, *service*, *resource_type*, *resource_id*)

Remove a consumer from the secret

Parameters

- **secret_ref** Full HATEOAS reference to a secret, or a UUID
- **service** Name of the previously consuming service
- **resource_type** type of the previously consuming resource
- **resource_id** ID of the previously consuming resource

Raises

- **barbicanclient.exceptions.HTTPAuthError** 401 Responses
- **barbicanclient.exceptions.HTTPClientError** 4xx Responses
- **barbicanclient.exceptions.HTTPServerError** 5xx Responses

update(*secret_ref*, *payload*=None)

Update an existing Secret in Barbican

Parameters

- **secret_ref** (str) Full HATEOAS reference to a Secret, or a UUID
- **payload** (str) New payload to add to secret

Raises

- **barbicanclient.exceptions.HTTPAuthError** 401 Responses
- **barbicanclient.exceptions.HTTPClientError** 4xx Responses
- **barbicanclient.exceptions.HTTPServerError** 5xx Responses

class barbicanclient.v1.secrets.Secret(*api*, *name*=None, *expiration*=None,
 algorithm=None, *bit_length*=None, *mode*=None,
 payload=None, *payload_content_type*=None,
 payload_content_encoding=None,
 secret_ref=None, *created*=None, *updated*=None,
 content_types=None, *status*=None,
 secret_type=None, *creator_id*=None,
 consumers=None)

Secrets managed by Barbican

Secrets represent keys, credentials, and other sensitive data that is stored by the Barbican service.

Secret objects should not be instantiated directly.

You should use the *create* or *get* methods of the `barbicanclient.secrets.SecretManager` instead.

property **acls**

Get ACL settings for this secret.

delete()

Deletes the Secret from Barbican

property payload

Lazy-loaded property that holds the unencrypted data

store()

Stores the Secret in Barbican.

New Secret objects are not persisted in Barbican until this method is called.

Raises

PayloadException

update()

Updates the secret in Barbican.

4.3 Orders

class barbicanclient.v1.orders.OrderManager(api)

Entity Manager for Order entities

create_asymmetric(name=None, algorithm=None, bit_length=None, pass_phrase=None, payload_content_type=None, expiration=None)

Factory method for *AsymmetricOrder* objects

AsymmetricOrder objects returned by this method have not yet been submitted to the Barbican service.

Parameters

- **name** A friendly name for the container to be created
- **algorithm** The algorithm associated with this secret key
- **bit_length** The bit length of this secret key
- **pass_phrase** Optional passphrase
- **payload_content_type** The format/type of the secret data
- **expiration** The expiration time of the secret in ISO 8601 format

Returns

AsymmetricOrder

Return type

barbicanclient.v1.orders.AsymmetricOrder

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

create_key(name=None, algorithm=None, bit_length=None, mode=None, payload_content_type=None, expiration=None)

Factory method for *KeyOrder* objects

KeyOrder objects returned by this method have not yet been submitted to the Barbican service.

Parameters

- **name** A friendly name for the secret to be created
- **algorithm** The algorithm associated with this secret key
- **bit_length** The bit length of this secret key
- **mode** The algorithm mode used with this secret key
- **payload_content_type** The format/type of the secret data
- **expiration** The expiration time of the secret in ISO 8601 format

Returns

KeyOrder

Return type*barbicanclient.v1.orders.KeyOrder***Raises**

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

delete(order_ref)

Delete an Order from Barbican

Parameters**order_ref** Full HATEOAS reference to an Order, or a UUID**get(order_ref)**

Retrieve an existing Order from Barbican

Parameters**order_ref** Full HATEOAS reference to an Order, or a UUID**Returns**

An instance of the appropriate subtype of Order

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

list(limit=10, offset=0)

List Orders for the project

This method uses the limit and offset parameters for paging.

Parameters

- **limit** Max number of orders returned
- **offset** Offset orders to begin list

Returns

list of Order objects

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

```
class barbicanclient.v1.orders.Order(api, type, status=None, created=None, updated=None,
                                       meta=None, order_ref=None,
                                       error_status_code=None, error_reason=None,
                                       sub_status=None, sub_status_message=None,
                                       creator_id=None)
```

Base order object to hold common functionality

This should be considered an abstract class that should not be instantiated directly.

`delete()`

Deletes the Order from Barbican

`submit()`

Submit the Order to Barbican.

New Order objects are not persisted in Barbican until this method is called.

```
class barbicanclient.v1.orders.KeyOrder(api, name=None, algorithm=None,
                                         bit_length=None, mode=None, expiration=None,
                                         payload_content_type=None, status=None,
                                         created=None, updated=None, order_ref=None,
                                         secret_ref=None, error_status_code=None,
                                         error_reason=None, sub_status=None,
                                         sub_status_message=None, creator_id=None)
```

KeyOrders can be used to request random key material from Barbican

`property mode`

Encryption mode being used with this key

The mode could be set to CBC for example, when requesting a key that will be used for AES encryption in CBC mode.

```
class barbicanclient.v1.orders.AsymmetricOrder(api, name=None, algorithm=None,
                                                bit_length=None, mode=None,
                                                passphrase=None, pass_phrase=None,
                                                expiration=None,
                                                payload_content_type=None,
                                                status=None, created=None,
                                                updated=None, order_ref=None,
                                                container_ref=None,
                                                error_status_code=None,
                                                error_reason=None, sub_status=None,
                                                sub_status_message=None,
                                                creator_id=None)
```

`property pass_phrase`

Passphrase to be used for passphrase protected asymmetric keys

4.4 Containers

```
class barbicanclient.v1.containers.ContainerManager(api)
```

EntityManager for Container entities

You should use the ContainerManager exposed by the Client and should not need to instantiate your own.

```
create(name=None, secrets=None)
```

Factory method for *Container* objects

Container objects returned by this method have not yet been stored in Barbican.

Parameters

- **name** A friendly name for the Container
- **secrets** Secrets to populate when creating a Container

Returns

Container

Return type

barbicanclient.v1.containers.Container

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

```
create_certificate(name=None, certificate=None, intermediates=None,
                   private_key=None, private_key_passphrase=None)
```

Factory method for *CertificateContainer* objects

CertificateContainer objects returned by this method have not yet been stored in Barbican.

Parameters

- **name** A friendly name for the CertificateContainer
- **certificate** Secret object containing a Certificate
- **intermediates** Secret object containing Intermediate Certs
- **private_key** Secret object containing a Private Key
- **private_key_passphrase** Secret object containing a passphrase

Returns

CertificateContainer

Return type

barbicanclient.v1.containers.CertificateContainer

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses

- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

create_rsa(*name=None*, *public_key=None*, *private_key=None*,
private_key_passphrase=None)

Factory method for *RSAContainer* objects

RSAContainer objects returned by this method have not yet been stored in Barbican.

Parameters

- **name** A friendly name for the RSAContainer
- **public_key** Secret object containing a Public Key
- **private_key** Secret object containing a Private Key
- **private_key_passphrase** Secret object containing a passphrase

Returns

RSAContainer

Return type

barbicanclient.v1.containers.RSAContainer

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

delete(*container_ref*)

Delete a Container from Barbican

Parameters

container_ref Full HATEOAS reference to a Container, or a UUID

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

get(*container_ref*)

Retrieve an existing Container from Barbican

Parameters

container_ref Full HATEOAS reference to a Container, or a UUID

Returns

Container object or a subclass of the appropriate type

list(*limit=10*, *offset=0*, *name=None*, *type=None*)

List containers for the project.

This method uses the limit and offset parameters for paging.

Parameters

- **limit** Max number of containers returned

- **offset** Offset containers to begin list
- **name** Name filter for the list
- **type** Type filter for the list

Returns

list of Container metadata objects

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

register_consumer(container_ref, name, url)

Add a consumer to the container

Parameters

- **container_ref** Full HATEOAS reference to a Container, or a UUID
- **name** Name of the consuming service
- **url** URL of the consuming resource

Returns

A container object per the get() method

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

remove_consumer(container_ref, name, url)

Remove a consumer from the container

Parameters

- **container_ref** Full HATEOAS reference to a Container, or a UUID
- **name** Name of the previously consuming service
- **url** URL of the previously consuming resource

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

class barbicanclient.v1.containers.Container(api, name=None, secrets=None, consumers=None, container_ref=None, created=None, updated=None, status=None, secret_refs=None)

Container is a generic grouping of Secrets

property acls

Get ACL settings for this container.

delete()

Delete container from Barbican

property secrets

List of Secrets in Containers

store()

Store Container in Barbican

```
class barbicanclient.v1.containers.RSAContainer(api, name=None, public_key=None,  
                                                private_key=None,  
                                                private_key_passphrase=None,  
                                                consumers=[], container_ref=None,  
                                                created=None, updated=None,  
                                                status=None, public_key_ref=None,  
                                                private_key_ref=None,  
                                                private_key_passphrase_ref=None)
```

property private_key

Secret containing the Private Key

property private_key_passphrase

Secret containing the Passphrase

property public_key

Secret containing the Public Key

```
class barbicanclient.v1.containers.CertificateContainer(api, name=None,  
                                                       certificate=None,  
                                                       intermediates=None,  
                                                       private_key=None, pri-  
                                                       vate_key_passphrase=None,  
                                                       consumers=[],  
                                                       container_ref=None,  
                                                       created=None,  
                                                       updated=None, status=None,  
                                                       certificate_ref=None,  
                                                       intermediates_ref=None,  
                                                       private_key_ref=None, pri-  
                                                       vate_key_passphrase_ref=None)
```

property certificate

Secret containing the certificate

property intermediates

Secret containing intermediate certificates

property private_key

Secret containing the private key

property private_key_passphrase

Secret containing the passphrase

4.5 Certificate Authorities

```
class barbicanclient.v1.cas.CAManager(api)
```

Entity Manager for Secret entities

```
get(ca_ref)
```

Retrieve an existing CA from Barbican

Parameters

ca_ref (str) Full HATEOAS reference to a CA

Returns

CA object retrieved from Barbican

Return type

barbicanclient.v1.cas.CA

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

```
list(limit=10, offset=0, name=None)
```

List CAs for the project

This method uses the limit and offset parameters for paging, and also supports filtering.

Parameters

- **limit** Max number of CAs returned
- **offset** Offset secrets to begin list
- **name** Name filter for the list

Returns

list of CA objects that satisfy the provided filter criteria.

Return type

list

Raises

- *barbicanclient.exceptions.HTTPAuthError* 401 Responses
- *barbicanclient.exceptions.HTTPClientError* 4xx Responses
- *barbicanclient.exceptions.HTTPServerError* 5xx Responses

```
class barbicanclient.v1.cas.CA(api, meta=None, expiration=None, plugin_name=None,  
                                plugin_ca_id=None, ca_ref=None, created=None,  
                                updated=None, status=None, creator_id=None)
```

Certificate authority

CAs represent certificate authorities or subCAs with which the Barbican service is configured to interact.

Certificate authority

CA objects should not be instantiated directly. You should use the *create* or *get* methods of the `barbicanclient.cas.CAManager` instead.

4.6 ACLs

`class barbicanclient.v1.acls.ACManager(api)`

Entity Manager for Secret or Container ACL entities

`create(entity_ref=None, users=None, project_access=None, operation_type='read')`

Factory method for creating *ACL* entity.

ACL object returned by this method have not yet been stored in Barbican.

Input `entity_ref` is used to determine whether *ACL* object type needs to be `barbicanclient.acls.SecretACL` or `barbicanclient.acls.ContainerACL`.

Parameters

- `entity_ref (str)` Full HATEOAS reference to a secret or container
- `users (List or None)` List of Keystone userid(s) to be used in *ACL*.
- `project_access (bool)` Flag indicating project access behavior
- `operation_type (str)` Type indicating which class of Barbican operations this *ACL* is defined for e.g. read operations

Returns

ACL object instance

Return type

`barbicanclient.v1.acls.SecretACL` or `barbicanclient.v1.acls.ContainerACL`

`get(entity_ref)`

Retrieve existing *ACLs* for a secret or container found in Barbican

Parameters

`entity_ref (str)` Full HATEOAS reference to a secret or container.

Returns

ACL entity object instance

Return type

`barbicanclient.v1.acls.SecretACL` or `barbicanclient.v1.acls.ContainerACL`

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses

`class barbicanclient.v1.acls.SecretACL(api, entity_ref, users=None, project_access=None, operation_type='read', created=None, updated=None)`

ACL entity for a secret

Base *ACL* entity instance for secret or container.

Provide ACL data arguments to set ACL setting for given operation_type.

To add ACL setting for other operation types, use *add_operation_acl* method.

Parameters

- **api** client instance reference
- **entity_ref** (*str*) Full HATEOAS reference to a secret or container
- **users** (*str List or None*) List of Keystone userid(s) to be used for ACL.
- **project_access** (*bool*) Flag indicating project access behavior
- **operation_type** (*str*) Type indicating which class of Barbican operations this ACL is defined for e.g. read operations
- **created** (*str*) Time string indicating ACL create timestamp. This is populated only when populating data from api response. Not needed in client input.
- **updated** (*str*) Time string indicating ACL last update timestamp. This is populated only when populating data from api response. Not needed in client input.

```
add_operation_acl(users=None, project_access=None, operation_type=None,  
                    created=None, updated=None)
```

Add ACL settings to entity for specific operation type.

If matching operation_type ACL already exists, then it replaces it with new PerOperationACL object using provided inputs. Otherwise it appends new PerOperationACL object to existing per operation ACL list.

This just adds to local entity and have not yet applied these changes to server.

Parameters

- **users** (*List or None*) List of Keystone userid(s) to be used in ACL.
- **project_access** (*bool*) Flag indicating project access behavior
- **operation_type** (*str*) Type indicating which class of Barbican operations this ACL is defined for e.g. read operations
- **created** (*str*) Time string indicating ACL create timestamp. This is populated only when populating data from api response. Not needed in client input.
- **updated** (*str*) Time string indicating ACL last update timestamp. This is populated only when populating data from api response. Not needed in client input.

property entity_ref

Entity URI reference.

property entity_uuid

Entity UUID

get(operation_type)

Get operation specific ACL instance.

Parameters

operation_type (str) Type indicating which operations ACL setting is needed.

load_acls_data()

Loads ACL entity from Barbican server using its acl_ref

Clears the existing list of per operation ACL settings if there. Populates current ACL entity with ACL settings received from Barbican server.

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

property operation_acls

List of operation specific ACL settings.

remove()

Remove Barbican ACLs setting defined for a secret or container

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses

submit()

Submits ACLs for a secret or a container defined in server

In existing ACL case, this overwrites the existing ACL setting with provided inputs. If input users are None or empty list, this will remove existing ACL users if there. If input project_access flag is None, then default project access behavior is enabled.

Returns

str acl_ref: Full HATEOAS reference to a secret or container ACL.

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

class barbicanclient.v1.acls.ContainerACL(api, entity_ref, users=None, project_access=None, operation_type='read', created=None, updated=None)

ACL entity for a container

Base ACL entity instance for secret or container.

Provide ACL data arguments to set ACL setting for given operation_type.

To add ACL setting for other operation types, use `add_operation_acl` method.

Parameters

- `api` client instance reference

- **entity_ref** (*str*) Full HATEOAS reference to a secret or container
- **users** (*str List or None*) List of Keystone userid(s) to be used for ACL.
- **project_access** (*bool*) Flag indicating project access behavior
- **operation_type** (*str*) Type indicating which class of Barbican operations this ACL is defined for e.g. read operations
- **created** (*str*) Time string indicating ACL create timestamp. This is populated only when populating data from api response. Not needed in client input.
- **updated** (*str*) Time string indicating ACL last update timestamp. This is populated only when populating data from api response. Not needed in client input.

```
add_operation_acl(users=None, project_access=None, operation_type=None,  
                    created=None, updated=None)
```

Add ACL settings to entity for specific operation type.

If matching operation_type ACL already exists, then it replaces it with new PerOperationACL object using provided inputs. Otherwise it appends new PerOperationACL object to existing per operation ACL list.

This just adds to local entity and have not yet applied these changes to server.

Parameters

- **users** (*List or None*) List of Keystone userid(s) to be used in ACL.
- **project_access** (*bool*) Flag indicating project access behavior
- **operation_type** (*str*) Type indicating which class of Barbican operations this ACL is defined for e.g. read operations
- **created** (*str*) Time string indicating ACL create timestamp. This is populated only when populating data from api response. Not needed in client input.
- **updated** (*str*) Time string indicating ACL last update timestamp. This is populated only when populating data from api response. Not needed in client input.

property entity_ref

Entity URI reference.

property entity_uuid

Entity UUID

```
get(operation_type)
```

Get operation specific ACL instance.

Parameters

- operation_type** (*str*) Type indicating which operations ACL setting is needed.

load_acls_data()

Loads ACL entity from Barbican server using its acl_ref

Clears the existing list of per operation ACL settings if there. Populates current ACL entity with ACL settings received from Barbican server.

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

property operation_acls

List of operation specific ACL settings.

remove()

Remove Barbican ACLs setting defined for a secret or container

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses

submit()

Submits ACLs for a secret or a container defined in server

In existing ACL case, this overwrites the existing ACL setting with provided inputs. If input users are None or empty list, this will remove existing ACL users if there. If input project_access flag is None, then default project access behavior is enabled.

Returns

str acl_ref: Full HATEOAS reference to a secret or container ACL.

Raises

- `barbicanclient.exceptions.HTTPAuthError` 401 Responses
- `barbicanclient.exceptions.HTTPClientError` 4xx Responses
- `barbicanclient.exceptions.HTTPServerError` 5xx Responses

4.7 Exceptions

exception `barbicanclient.exceptions.BarbicanException`

exception `barbicanclient.exceptions.HTTPAuthError(message, status_code=401)`

Raised for 401 Unauthorized responses from the server.

exception `barbicanclient.exceptions.HTTPClientError(message, status_code=0)`

Raised for 4xx responses from the server.

exception `barbicanclient.exceptions.HTTPError(message, status_code=0)`

Base exception for HTTP errors.

exception `barbicanclient.exceptions.HTTPServerError(message, status_code=0)`

Raised for 5xx responses from the server.

exception `barbicanclient.exceptions.PayloadException`

exception barbicanclient.exceptions.**UnsupportedVersion**

User is trying to use an unsupported version of the API.

Indices and tables

- genindex
- modindex
- search

PYTHON MODULE INDEX

b

`barbicanclient.exceptions`, 64

INDEX

A

`ACManager` (*class in barbicanclient.v1.acls*), 60
`acls` (*barbicanclient.v1.containers.Container property*), 57
`acls` (*barbicanclient.v1.secrets.Secret property*), 51
`add_operation_acl()` (*barbicanclient.v1.acls.ContainerACL method*), 63
`add_operation_acl()` (*barbicanclient.v1.acls.SecretACL method*), 61
`AsymmetricOrder` (*class in barbicanclient.v1.orders*), 54

B

`barbicanclient.exceptions`
 module, 64
`BarbicanException`, 64

C

`CA` (*class in barbicanclient.v1.cas*), 59
`CAManager` (*class in barbicanclient.v1.cas*), 59
`certificate` (*barbicanclient.v1.containers.CertificateContainer property*), 58
`CertificateContainer` (*class in barbicanclient.v1.containers*), 58
`Client()` (*in module barbicanclient.client*), 47
`Container` (*class in barbicanclient.v1.containers*), 57
`ContainerACL` (*class in barbicanclient.v1.acls*), 62
`ContainerManager` (*class in barbicanclient.v1.containers*), 55
`create()` (*barbicanclient.v1.acls.ACManager method*), 60
`create()` (*barbicanclient.v1.containers.ContainerManager method*), 55

`create()` (*barbicanclient.v1.secrets.SecretManager method*), 48
`create_asymmetric()` (*barbicanclient.v1.orders.OrderManager method*), 52
`create_certificate()` (*barbicanclient.v1.containers.ContainerManager method*), 55
`create_key()` (*barbicanclient.v1.orders.OrderManager method*), 52
`create_rsa()` (*barbicanclient.v1.containers.ContainerManager method*), 56

D

`delete()` (*barbicanclient.v1.containers.Container method*), 58
`delete()` (*barbicanclient.v1.containers.ContainerManager method*), 56
`delete()` (*barbicanclient.v1.orders.Order method*), 54
`delete()` (*barbicanclient.v1.orders.OrderManager method*), 53
`delete()` (*barbicanclient.v1.secrets.Secret method*), 51
`delete()` (*barbicanclient.v1.secrets.SecretManager method*), 48

E

`entity_ref` (*barbicanclient.v1.acls.ContainerACL property*), 63
`entity_ref` (*barbicanclient.v1.acls.SecretACL property*), 61
`entity_uuid` (*barbican-*

G	
get()	(<i>barbicanclient.v1.acls.ACManager method</i>), 60
get()	(<i>barbicanclient.v1.acls.ContainerACL method</i>), 63
get()	(<i>barbicanclient.v1.acls.SecretACL method</i>), 61
get()	(<i>barbicanclient.v1.cas.CAManager method</i>), 59
get()	(<i>barbicanclient.v1.containers.ContainerManager method</i>), 56
get()	(<i>barbicanclient.v1.orders.OrderManager method</i>), 53
get()	(<i>barbicanclient.v1.secrets.SecretManager method</i>), 49
H	
HTTPAuthError	, 64
HTTPClientError	, 64
HTTPError	, 64
HTTPServerError	, 64
I	
intermediates	(<i>barbicanclient.v1.containers.CertificateContainer property</i>), 58
K	
KeyOrder	(<i>class in barbicanclient.v1.orders</i>), 54
L	
list()	(<i>barbicanclient.v1.cas.CAManager method</i>), 59
list()	(<i>barbicanclient.v1.containers.ContainerManager method</i>), 56
list()	(<i>barbicanclient.v1.orders.OrderManager method</i>), 53
list()	(<i>barbicanclient.v1.secrets.SecretManager method</i>), 49
list_consumers()	(<i>barbicanclient.v1.secrets.SecretManager method</i>), 50
load_acls_data()	(<i>barbicanclient.v1.acls.ContainerACL method</i>), 63
M	
mode	(<i>barbicanclient.v1.orders.KeyOrder property</i>), 54
module	<i>barbicanclient.exceptions</i> , 64
O	
operation_acls	(<i>barbicanclient.v1.acls.ContainerACL property</i>), 64
operation_acls	(<i>barbicanclient.v1.acls.SecretACL property</i>), 62
Order	(<i>class in barbicanclient.v1.orders</i>), 54
OrderManager	(<i>class in barbicanclient.v1.orders</i>), 52
P	
pass_phrase	(<i>barbicanclient.v1.orders.AsymmetricOrder property</i>), 54
payload	(<i>barbicanclient.v1.secrets.Secret property</i>), 51
PayloadException	, 64
private_key	(<i>barbicanclient.v1.containers.CertificateContainer property</i>), 58
private_key	(<i>barbicanclient.v1.containers.RSAContainer property</i>), 58
private_key_passphrase	(<i>barbicanclient.v1.containers.CertificateContainer property</i>), 58
private_key_passphrase	(<i>barbicanclient.v1.containers.RSAContainer property</i>), 58
public_key	(<i>barbicanclient.v1.containers.RSAContainer property</i>), 58
R	
register_consumer()	(<i>barbicanclient.v1.containers.ContainerManager method</i>), 57
register_consumer()	(<i>barbicanclient.v1.secrets.SecretManager method</i>), 50

`remove()` (*barbicanclient.v1.acls.ContainerACL method*), [64](#)
`remove()` (*barbicanclient.v1.acls.SecretACL method*), [62](#)
`remove_consumer()` (*barbican-client.v1.containers.ContainerManager method*), [57](#)
`remove_consumer()` (*barbican-client.v1.secrets.SecretManager method*), [50](#)
`RSAContainer` (class in *barbican-client.v1.containers*), [58](#)

S

`Secret` (class in *barbicanclient.v1.secrets*), [51](#)
`SecretACL` (class in *barbicanclient.v1.acls*), [60](#)
`SecretManager` (class in *barbican-client.v1.secrets*), [48](#)
`secrets` (*barbicanclient.v1.containers.Container property*), [58](#)
`store()` (*barbicanclient.v1.containers.Container method*), [58](#)
`store()` (*barbicanclient.v1.secrets.Secret method*), [52](#)
`submit()` (*barbicanclient.v1.acls.ContainerACL method*), [64](#)
`submit()` (*barbicanclient.v1.acls.SecretACL method*), [62](#)
`submit()` (*barbicanclient.v1.orders.Order method*), [54](#)

U

`UnsupportedVersion`, [64](#)
`update()` (*barbicanclient.v1.secrets.Secret method*), [52](#)
`update()` (*barbican-client.v1.secrets.SecretManager method*), [51](#)